

**KAZI NAZRUL UNIVERSITY
ASANSOL– 713340, INDIA**

Tender Notice

Ref. No.: KNU/EO/PRINTER /52 /2020

Date: 01-12-2020

I shall be pleased to receive your lowest possible quotation in a SEALED COVER with our REF. NO. and DATE duly super scribed on the COVER and on the face of the offer letter for the supply of the under mentioned goods or articles, subject to the TERMS AND CONDITIONS outlined below:

Last date for submission of quotation:

10-12-2020 (Within 05:00 p.m.)

Product Name & Specification		Qty	Rate/ Unit (Rs.)	GST	Total Price (Rs.)
				(Rs.)	Inclusive all taxes
Print Technology	Color Laser				
Display	4.3-inch (10.9 cm) colour touch screen				
Processor Speed	Quad Core 1.2 GHz				
Memory	3072 MB				
Hard Disk	320 GB				
Print Speed	Black: 35 ppm (A4); Black: 35 ppm (Letter)				
	Color: 35 ppm (A4); Color: 35 ppm (Letter)				
Print Speed Duplex	Up to: Black: 35 spm (A4); Black: 35 spm (Letter)				
Time to First Page	As fast as: Black: 7 seconds; Color: 8.3 seconds				
Print Resolution	Black: 1200 x 1200 dpi, 2400 Image Quality				
	Color: 1200 x 1200 dpi, 2400 Image Quality				
Duplex	2-sided: Integrated Duplex				
Paper Handling	Auto				
Media Types Supported	Labels, Banner Paper, Card Stock, Plain Paper, Envelopes, Refer to the Paper & Specialty Media Guide				
Finishing Option	Yes				
Number of Paper Inputs	Standard: 3; Maximum: 6				
Number of Paper Trays	Standard: 2 Maximum: 6				
Paper Input Capacity	Standard: 1150 pages 20 lb or 75 gsm bond				
	Maximum: 6650 pages 20 lb or 75 gsm bond				

	1150 pages 20 lb or 75 gsm bond			
Paper Output Capacity	Standard: 250 pages 20 lb or 75 gsm bond			
	Maximum: 3500 pages 20 lb or 75 gsm bond			
Paper Weight Range Supported	60 - 256 gsm (Standard Tray)			
	60 - 300 gsm (Multipurpose Feeder)			
Printable Area	metric: 4.2, 3, 3, 3 mm of the top, bottom, right and left edges (within)			
Media Sizes Supported	A6, Oficio, Super Tabloid (12 x 18"), 7 3/4 Envelope, JIS-B4, 9 Envelope, A3, A4, Legal, SRA3, A5, Letter, B5 Envelope, 4 x 6", Statement, C5 Envelope, Executive, Universal, DL Envelope, Folio, 10 Envelope			
Included Paper Handling	250-Sheet Output Bin, Integrated Duplex, 150-Sheet Multipurpose Feeder, 2 x 500-Sheet Input			
Optional Paper Handling	Staple Finisher, 2500-Sheet Tandem Tray, 3000-Sheet Tray, Staple Punch Finisher, Booklet Finisher, 2 x 500-Sheet Tray			
Recommended Monthly Page Volume	4000 - 20000 pages			
Maximum Monthly Duty Cycle	Up to:150000 pages per month			
Size	mm - H x W x D: Trays Extended: 762 x 953 x 1127 mm			
A3 / 11 x 17	Yes			
Cartridges & Imaging				
Laser Cartridge Yields	Support up to:			
	11,500-page Colour (CMY) Cartridges			
	18,500-page Black Cartridge			
Developer Unit(s) Estimated Yield	Up to: 600000 pages, based on 3 average letter/A4-size pages per print job and ~ 5% coverage			
Cartridge(s) Shipping with Product	6,000-page Colour (CMY) Toner Cartridges, 5,000-page Black Toner Cartridge			
Photoconductor Estimated Yield	Up to 100000 Black / 90000 (CMY) pages, based on average letter/A4-size pages per print job and ~ 5% coverage			
Touch Screen Display	Yes			
Connectivity				
Direct USB	Yes			
Ethernet Network Port	Yes			
Wireless Conectivity	Yes			
Standard Ports	Two Rear USB 2.0 Specification Hi-Speed Certified ports (Type A), Gigabit Ethernet (10/100/1000), Front USB 2.0 Specification Hi-Speed Certified port (Type A), USB 2.0 Specification Hi-Speed Certified (Type B), One Internal Card Slot			

Network Protocol Support	TCP/IP IPv6, TCP/IP IPv4, TCP, UDP				
Network Printing Methods	LPR/LPD, Direct IP (Port 9100), Pull Printing, Microsoft Web Services WSD, Telnet, Secure IP (Port 96xx), FTP, TFTP, Enhanced IP (Port 9400), Thin Print .print integration, IPP 1.0, 1.1, 2.0 (Internet Printing Protocol)				
Network Management Protocols	DHCP, APIPA (Auto IP), BOOTP, RARP, mDNS, IGMP, Bonjour, WINS, DDNS, SNMPv3, SNMPv1, SNMPv2c, Telnet, NTP, ICMP, HTTP, DNS, ARP, HTTPs (SSL6/TLS), Finger				
Network Security	IPSec, SNMPv3, 802.1x Authentication: MD5, MSCHAPv2, LEAP, PEAP, TLS, TTLS				
Supported Operating Systems					
Microsoft Windows Operating Systems Supported	Windows 10, Windows Server 2008 x64, Windows 8.1, Windows 8, Windows Server 2008, Windows Server 2008 R2, Windows 8 x64, Windows 7 x64, Windows Server 2012, Windows RT 8.1, Windows XP x64, Windows RT, Windows Server 2012 R2, Windows XP, Windows 8.1 x64, Windows Vista x64, Windows Vista, Windows 7				
Apple Operating Systems Supported	Apple OS X (10.6, 10.7, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13)				
Linux Operating Systems Supported	Debian GNU/Linux 7.0, 8.0, openSUSE 13.1, 13.2, Ubuntu 12.04 LTS, 14.04 LTS, 15.04, Linpus Linux Lite Desktop 2.1, Fedora 21, 22, openSUSE Tumbleweed, Linux Mint 13 LTS, 17 LTS, 17.1 LTS, 17.2 LTS, PCLinuxOS 2014.12, Linux Mint 2 Debian, Red Hat Enterprise Linux WS 4, 5, 6, 7, SUSE Linux Enterprise Server 10, 11, 12, SUSE Linux Enterprise Desktop 10, 11, 12				
Citrix Meta Frame	Microsoft Windows Server 2012 with Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2008 R2 with Citrix XenApp 6.0, 6.5, Microsoft Windows Server 2008 and 2008 X64 Edition with Citrix XenApp 5.0				
Novell Operating Systems Supported	Novell NetWare 6.5 Open Enterprise Server, Novell Open Enterprise Server on SuSE Linux Enterprise Server 12 SP1 (x86 and x64), Novell Open Enterprise Server on SuSE Linux Enterprise Server 11 SP4 (x86 and x64), Novell Open Enterprise Server on SuSE Linux Enterprise Server 10 SP4 (x86 and x64)				
UNIX Operating Systems Supported	Sun Solaris x86 10, 11, Sun Solaris SPARC 10, 11, IBM AIX 5.3, 6.1, 7.1				
Printer Languages	Standard:				

	PCL 5c Emulation, PCL 6 Emulation, Microsoft XPS (XML Paper Specification), Personal Printer Data Stream (PPDS), PostScript 3 Emulation, PDF 1.7 emulation, Direct Image, AirPrint			
Fonts and Symbol Sets	2 PCL bitmap fonts, 15 PPDS bitmap fonts, OCR-A, OCR-B scalable PCL 5e fonts, For more information, refer to the Technical Reference., 165 scalable PostScript fonts, 84 scalable PCL fonts, 3 of 9 scalable PCL 5e fonts in Narrow, Regular and Wide, 39 scalable PPDS fonts			
Electrical & Operation				
ENERGY STAR	Yes			
ENERGY STAR Typical Electricity Consumption	TEC: 0.62 kilowatt-hours per week			
Noise Level	Operating:25 dBA (Idle); 51 dBA (Print)			
Duplex Print Noise Level	Operating: 53 dBA			
Average Power	0.2 watts (Hibernate Mode); 2.2 watts (Sleep Mode)			
	140 watts (Ready Mode); 575 watts (Printing)			
Specified Operating Environment	Humidity: 15 to 85% Relative Humidity			
	Altitude: 0 - 2500 Meters (8,200 Feet)			
	Temperature: 10 to 30°C (50 to 86°F)			
Product Certifications	ENERGY STAR, ICES-003 Class A, BSMI Class A, VCCI Class A, FCC Class A, NOM-032, UL, cUL, NOM, US FDA/CDRH, IEC 60825-1, CB Report, ISO-532B, CE (EU) DoC, EFTA (CE), KC logo, CCC, C-tick DoC, EuP, CECP, CEL, EC 1275/2008, ECMA-370, TED, SII, TER, SABS, UL-AR, GS Mark, Green Dot, ISO-9296, COC, CCD-035 EcoLogo, Green Mark, EPEAT Gold, Blue Angel (Blauer Engel), China Green Product (CGP)			
Size (mm - H x W x D)	780 x 615 x 740 mm			
Weight	88.5 kg			
Expandability Option	should have option for adding extra 2x 500-sheet tray Staple finisher Booklet finisher or staple punch finisher Extra 1x 2500-sheet tray Extra 1x 3000-sheet tray			
Product Warranty	3-Years Onsite Service, Next Business Day			
Authorization	Case specific authorization is must for this case			
*Note:				
A. Validity of your offer will be 45 days w.e.f. publication of the tender				
B. Warranty must be mentioned in your offer on the above items.				

C. Party is requested to keep in touch with the Estate Officer (Addl. Charge), Kazi Nazrul University before quoting the rate for better Knowledge of specification & quality of material.

Accessories and Consumables for Single Function Hevy Duty A3 Colour Laser Printer Specification		Qty	Rate/ Unit (Rs.)	GST	Total Price (Rs.)
				(Rs.)	Inclusive all taxes
Extra Toner	Black Toner Cartridge, 18500 Page Yield	2			
	Cyan Toner Cartridge, 11500 Page Yield	1			
	Magenta Toner Cartridge, 11500 Page yield	1			
	Yellow Toner Cartridge, 11500 Page Yield				
Extra Waste Toner Bottle	Waste Toner Bottle	1			
Extra Photoconductor Unit	Black Photoconductor Unit, 100000	1			
	CMY Photoconductor Unit (1 Photoconductor unit only), 90000	1			
Base	Castor Base				

Sd/-
Estate Officer (Addl. Charge)

TERMS & CONDITIONS

1. Quotation should be for FREE DELIVERY at Asansol unless otherwise arranged.
2. Prices quoted should be Nett and minimum period of validity of the quotation SHOULD BE FOR 45 DAYS from the closing date
3. Quotations cannot be CORRECTED and ERASURE after submission.
4. Sample must be attached with quotation in all possible cases.

5. Intending Tenderers/Quotationer must attach a copy of **PAN Card, GST Registration Certificate, Valid Trade License, P. Tax** etc. along with his/her application.
6. Manufacturer's NAME and the COUNTRY OF ORIGIN of the materials offered must be clearly specified failing which the Tender will not be considered.
7. Samples must be submitted where specified so as to reach this office before the DUE DATE of tender. Samples must be labelled clearly with our ENQUIRY NUMBER, DUE DATE, NAME OF FIRM and number on sample must correspond to the items in the tender.
8. The tenderers will not be entitled to ask for any further information other than whether their tenders have been received or not.
9. The University does not bind itself to accept the lowest or any tender or assign any reason for non-acceptance. It further reserves the right to accept any tender in part or in whole at its option.
10. If the University finds that the materials supplied are not of the contract quality or not according to the specification required by the University or otherwise not satisfactory owing to any reason, of which the University shall be the sole judge, the University shall be entitled to refuse the acceptance of the said materials, cancel the order and buy its requirement elsewhere at supplier's responsibility.
11. Tenderers must as far as possible, arrange to supply the materials according to the terms of delivery specified in the orders. If however this is not possible, they shall clearly specify the time in which the delivery of the articles can be effected. This delivery time must be strictly adhered to. Failure to supply within the specified time will lead to cancellation of the order without notice.
12. If the deliveries are not regular and if on that account the University is forced to buy the materials elsewhere, any loss or damage that the University may sustain thereby will be recovered from the supplier for non-delivery at the scheduled periods.
13. THREE consecutive failures to supply within the scheduled time or times will entail removal of the Tenderer's name from the Approved List of Suppliers.
14. If any tenderer proposes to charge SALES TAX & Delivery charges, in addition to his quoted rates this fact should be stated specifically in his quotation. In the absence of such statement the rate quoted will be deemed to be inclusive of Sales Tax & Delivery charges.
15. Non Compliance of a order may lead to cancellation of enlistment and no enquiry will be issued in future. Up to 10% of bill value may be deducted for default on delivery.
16. Deduction of all taxes as per norms for each Bill/Invoice shall be made by the Authority at the time of payment.
17. IN ALL CASES OF DISPUTES, THE DECISION OF THE UNIVERSITY SHALL BE FINAL & BINDING ON YOU.

By Order